



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D350-636-011
Job Sheet 198534



Part No: D350-636-011

Job Qty: 1 pcs

Part Name: Skidtube LH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 7/30/19

Job Tracking No:

Due Date: 8/30/19

Created By: Marie Lajeunesse

Type: Stock

Description:

Note: D2750-041 REV.H IPP Rev:I 02.09.25 IPP Rev:J 06-03-23 As per Rev D IPP Rev:K 06-07.13 As per dsi9343
IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Verf:EC IPP Rev:M 08-04-22 DD verified:EC IPP
Rev:N 08-09-23 revF DD verified:ec IPP Rev:O 09-02-06 per PAR09-010 DD verf:EC IPP Rev:P 10.06.22
revise seq110 DD verf:EC IPP Rev:Q 10.10.01 as per IIN revH DDverf:EC IPP REV:R 13.08.27 PER ECN13-
594 DD VERF:JLM IPP REV:S 18.11.09 AS PER ECN18-830 DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Skidtubes - 1	1 pcs	8/30/19		0.00	4.55	Skidtubes - 1		OO
							Skidtubes - 2		
							Skidtubes - 3		
							Skidtubes - 4		BL
							Skidtubes - 5		
							Skidtubes - 6		
							Skidtubes - 7		
120	QC 10	1 pcs	8/30/19		0.00	0.00	QC 10 - 10		EL
							QC 10 - 18		
							QC 10 - 24		
							QC 10 - 43		
							QC 10 - 50		
							QC 10 - 58		
							QC 10 - 9		
130	QC 5	1 pcs	8/30/19		0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		

Plex 7/30/19 1:51 PM Dart.lajeunesse.marie

140 Handfinish - 1-1 Chemical-B4B	1 pcs	8/30/19	0.00 0.93	QC 5 - 50	B
				QC 5 - 30	
				QC 5 - 40	
				QC 5 - 61	
				QC 5 - 81	
				Handfinish - 1 - 1 - B4B	★ SEP 10 2019
				Handfinish - 1 - 2 - B4B	
				Handfinish - 1 - 3 - B4B	
				Handfinish - 1 - 4 - B4B	
				Handfinish - 1 - 5 - B4B	
				Handfinish - 1 - 6 - B4B	
				Handfinish - 1 - 7 - B4B	
				Handfinish - 1 - 8 - B4B	
				Handfinish - 1 - 9 - B4B	
				Handfinish - 1 - 10 - B4B	
				Handfinish - 1 - 11 - B4B	
				Handfinish - 1 - 12 - B4B	
				Handfinish - 1 - 13 - B4B	
				Handfinish - 1 - 14 - B4B	
				Handfinish - 1 - 15 - B4B	
				Handfinish - 1 - 16 - B4B	
				Handfinish - 1 - 17 - B4B	
				Handfinish - 1 - 18 - B4B	
				Handfinish - 1 - 19 - B4B	
				Handfinish - 1 - 20 - B4B	
				Handfinish - 1 - 21 - B4B	
				Handfinish - 1 - 22 - B4B	
150 QC 7	1 pcs	8/30/19	0.00 0.00	QC 7 - 10	BE
				QC 7 - 13	
				QC 7 - 14	
				QC 7 - 15	
				QC 7 - 17	
				QC 7 - 18	
				QC 7 - 19	
				QC 7 - 2	
				QC 7 - 28	
				QC 7 - 3	
				QC 7 - 30	
				QC 7 - 34	
				QC 7 - 36	
				QC 7 - 37	
				QC 7 - 41	
				QC 7 - 47	
				QC 7 - 48	
				QC 7 - 51	
				QC 7 - 58	
				QC 7 - 59	
				QC 7 - 60	

				QC 7 - 9	
				QC 7 - 68	
				QC 7 - 50	
				QC 7 - 67	
				QC 7 - 40	
				QC 7 - 24	
				QC 7 - 43	
				QC 7 - 61	
				QC 7 - 81	
160 Skidtubes - 2 - B4B	1 pcs	8/30/19	0.00 4.55	Skidtubes - 1 - B4B	DO
				Skidtubes - 2 - B4B	
				Skidtubes - 3 - B4B	
				Skidtubes - 4 - B4B	
				Skidtubes - 5 - B4B	BE
				Skidtubes - 6 - B4B	
				Skidtubes - 7 - B4B	
170 QC 10	1 pcs	8/30/19	0.00 0.00	QC 10 - 10	
				QC 10 - 18	
				QC 10 - 24	DAS 24
				QC 10 - 43	9-89
				QC 10 - 50	
				QC 10 - 58	
				QC 10 - 9	
180 QC 5	1 pcs	8/30/19	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	DAS 68
				QC 5 - 9	9-89
				QC 5 - 50	
				QC 5 - 30	
				QC 5 - 40	
				QC 5 - 61	
				QC 5 - 81	
190 Handfinish - 2-1 Pressure-B4B	1 pcs	8/30/19	0.00 0.33	Handfinish - 2 - 1 - B4B	
				Handfinish - 2 - 2 - B4B	SEP 25 2019
				Handfinish - 2 - 3 - B4B	
				Handfinish - 2 - 4 - B4B	
200 Spray Paint - 2 - B4B	1 pcs	8/30/19	0.00 0.91	Spray Paint - 1 - B4B	AL 19-9-26
				Spray Paint - 2 - B4B	
				Spray Paint - 3 - B4B	
				Spray Paint - 4 - B4B	
204 QC 14	1 pcs	8/30/19	0.00 0.00	QC 14 - 15	AL 19-9-30
				QC 14 - 2	
				QC 14 - 34	
				QC 14 - 41	
				QC 14 - 51	
				QC 14 - 58	
				QC 14 - 59	
				QC 14 - 9	
				QC 14 - 68	

					QC 14 - 40	
					QC 14 - 19	
					QC 14 - 43	
					QC 14 - 24	
					QC 14 - 61	
					QC 14 - 81	
					QC 14 - 81	
230 Handfinish - 4-1-Assembly-B4B	1 pcs	8/30/19	0.00 0.93	Handfinish - 4 - 1 - B4B	ul 14-9-30	
				Handfinish - 4 - 10 - B4B		
				Handfinish - 4 - 11 - B4B		
				Handfinish - 4 - 12 - B4B		
				Handfinish - 4 - 13 - B4B		
				Handfinish - 4 - 14 - B4B		
				Handfinish - 4 - 15 - B4B		
				Handfinish - 4 - 2 - B4B		
				Handfinish - 4 - 3 - B4B		
				Handfinish - 4 - 4 - B4B		
				Handfinish - 4 - 5 - B4B		
				Handfinish - 4 - 6 - B4B		
				Handfinish - 4 - 7 - B4B		
				Handfinish - 4 - 8 - B4B		
				Handfinish - 4 - 9 - B4B		
240 QC 5	1 pcs	8/30/19	0.00 0.00	QC 5 - 10		
				QC 5 - 12		
				QC 5 - 17		
				QC 5 - 18		
				QC 5 - 19		
				QC 5 - 22		
				QC 5 - 24		
				QC 5 - 3		
				QC 5 - 43		
				QC 5 - 49		
				QC 5 - 51		
				QC 5 - 58		
				QC 5 - 68		
				QC 5 - 9		
				QC 5 - 50		
				QC 5 - 30		
				QC 5 - 40	DAS OCT 02 2019 14:00	
				QC 5 - 61	9-89	
				QC 5 - 81		
250 Packaging 1-1 - Pick Kit - B4B	1 pcs	8/30/19	0.00 0.00	Packaging 1 - 1 - B4B		
				Packaging 1 - 2 - B4B		
				Packaging 1 - 3 - B4B		
				Packaging 1 - 4 - B4B		
				Packaging 1 - 5 - B4B		
				Packaging 1 - 6 - B4B		
				Packaging 1 - 7 - B4B		
				Packaging 1 - 8 - B4B		
				Packaging 1 - 9 - B4B		
				Packaging 1 - 10 - B4B		
				Packaging 1 - 11 - B4B		
				Packaging 1 - 12 - B4B		
				Packaging 1 - 13 - B4B		
				Packaging 1 - 14 - B4B		

				Packaging 1 - 15 - B4B	
				Packaging 1 - 16 - B4B	
				Packaging 1 - 17 - B4B	
				Packaging 1 - 18 - B4B	
				Packaging 1 - 19 - B4B	
				Packaging 1 - 20 - B4B	
				Packaging 1 - 21 - B4B	
				Packaging 1 - 22 - B4B	
				Packaging 1 - 23 - B4B	PC
				Packaging 1 - 24 - B4B	
				Packaging 1 - 25 - B4B	
				Packaging 1 - 26 - B4B	
				Packaging 1 - 27 - B4B	
				Packaging 1 - 28 - B4B	
				Packaging 1 - 29 - B4B	
				Packaging 1 - 30 - B4B	
				Packaging 1 - 31 - B4B	
				Packaging 1 - 32 - B4B	
				Packaging 1 - 33 - B4B	
				Packaging 1 - 34 - B4B	
				Packaging 1 - 35 - B4B	
				Packaging 1 - 36 - B4B	
260 QC 4	1	8/30/19	0.00 0.00	QC 4 - 28	
	pcs			QC 4 - 58	
				QC 4 - 69	
				QC 4 - 9	
				QC 4 - 46	
				QC 4 - 68	
				QC 4 - 72	
				QC 4 - 74	DAS 78 9-89
				QC 4 - 75	
270 Packaging 3-1 - Stock - B4B	1	8/30/19	0.00 0.00	Packaging 3 - 1 - B4B	
	pcs			Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	DAS 78 9-89
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	

				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	DAS
275 DC - 1 - B4B	1	8/30/19	0.00 0.00	DC - 1 - B4B	21 OCT 04 2019
	pcs			DC - 2 - B4B	9-89
280 QC 21 - FG	1	8/30/19	0.00 0.00	QC 21 - FG - 21	DAS
	pcs			QC 21 - FG - 70	21
				QC 21 - SA - 53	9-89 OCT 04 2019

Part Op 110 - (Skid tubes) 1- Pick D2600-3 Bent 2- Deburr FWD and AFT ends, remove bending marks. Scribe batch# inside AFT
 Descriptions: end per dwg D2750-1 3- Drill pilot holes for blade fitting bolt holes using DT8983. Start with 3/16", then open to 0.500" using center drill then ream holes using 0.500" reamer. PIN first side. Repeat process on second side. ***ENSURE PROPER POSITIONING FWD BEND MUST BE FACING UP WHEN DRILLING FIRST SIDE*** Drill pilot holes as per Dwg D2750 sheet 4 (D2750-1 details). Drill using drill Jig DT8150 & DT8863A for 2nd side only DT8863B for first side (detail B) 4- Locate DT8330 off of blade fitting bolt holes and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 5- Drill pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 6- Open up holes of Detail A to 0.297" (total of 2 holes per side) 7- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004 A/R Aluminum Rod batch: 139011 8- Grind welds flush as per Dwg D2750

120 - (QC10- Inspect visual per QSI004- ground welds)
 130 - (QC5- Inspect part completeness to step on W/O)
 140 - (Chemical Conversion Coat per QSI005 4.1)
 150 - (QC7- Inspect Chemical Conversion Coat)
 160 - (Skid tubes) 1- Open up holes using hole saw of Detail C and ground handling to 0.625" (total of 8 holes per side) as per dwg D2750. 2- Open up holes using hole saw of Detail B to 0.750" (total of 4 holes per side) as per dwg D2750. 3- Open float hole using un-bit to 0.500" (4 per side) 4- Chamfer holes of Detail B, C, ground handling and float holes per dwg D2750 (welding instructions on sheet 8) 5- Deburr and blow out all chips from inside of tube 6- Prepare tube for welding, remove alodine as required, 7- Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291 batch: 5200625 exp. date: 07/15/2019 **ATTN: USE I-BEAM LOCATION AID (BLADE FITTING)*** 8- Weld spacers D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 8) A/R Aluminum Rod batch: 139011 9- At section AJ-AJ drill out x-bolt spacer to 0.404" 10- Grind welds flush as per Dwg D2750 11- Spot face ground handling holes section (total of 4 places per side) as per dwg D2750 12- Deburr holes, ensure tube is free of all scratches before sending to paint.

170 - (QC10- Inspect visual per QSI004- ground welds)
 180 - (QC5- Inspect part completeness to step on W/O) ***VERIFY C'BOARD IS GOOD***
 190 - (Pressure Wash per QSI005 4.3/ Clean and remove all markings) Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch.

200 - (Spray Paint / NDT Room) 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349 BATCH: 5200299 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: 5213125

204 - (QC14- Inspect Spray Paint) Inspect for foreign object per QSI 024


230 - (Assemble as per dwg) 1- Install inserts as per Dwg D2750 2- Inspect for Foreign Objects 3- Install blade fitting D3488-041, wearshoes and ground handling hardware as per dwg D2750 SIKAFLEX 241 BATCH: _____ EXP DATE: _____ 4- Assemble o'ring to plug as per dwg D3492 and apply o'ring lube A/R 55-o'ring lube batch: _____ 5- Coat all exposed fasteners with "LPS Procyon" batch: _____

240 - (QC5- Inspect part completeness to step on W/O)
 250 - (Pick Kit)
 260 - (QC4- 100% Inspect kits for completeness) *****ensure antiseize is on AN8C21A bolts*****
 270 - (Identify as per dwg & Stock Location: _____) Package as per PPP D350-636-011 Location : FG108
 275 - (Document Control) record fwd angle: 89.8 Photocopy blue file and type labels per PPP D350-636-011 CHG 008
 280 - (QC21- Final Inspection - Work Order Release)

Job BOM				012172
Part / Item	Component Name	Quantity	Operation	Container
D2600-3-BENT-LH	Extrusion Bent LH	1 pcs (1 ea)	110-Skidtubes - 1	519857
D2744	Cap	1 pcs (1 ea)	110-Skidtubes - 1	5193776
D2739	350 I-Beam	1 pcs (1 ea)	160-Skidtubes - 2 - B4B	5204179
D2743	Crossbolt Spacer	8 pcs (8 ea)	160-Skidtubes - 2 - B4B	5194932
D3490-1	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B	5186298
D3490-3	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B	5199622
AN3C5A	Bolt	34 Ea (34 ea)	230-Handfinish - 4-1-Assembly-B4B	5203283
AN3C6A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5167183
AN6C44A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5160263
AN8C35A	Bolt	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5192377
D2745	Bushing	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5206350
D3488-3	Blade Fitting, LH	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5184950
D3492-1	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5204549
D3492-3	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5205432
D3537-1	Wearpad	3 pcs (3 ea)	230-Handfinish - 4-1-Assembly-B4B	5204500
D3631-1	Washer	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5184197
D3791-1	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5201871
D3793-1	Wearplate Fwd	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5208541
D3793-3	Wearplate Aft	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5202005
MS21043-6	Nut	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5203265
MS21083C8	Nut	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5192357
NAS1149C0332R	Washer (AN960C10L)	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B	5193186
NAS1149C0832R	Washer (AN960C816L)	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5076017
NAS1515H3L	Washer	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B	5214921
NAS1611-010	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5007608
NAS1611-013	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B	5199935
ALS4-1032-225	Rivnut	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B	5192102
D3793-5	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B	5201910
AN8C21A	Bolt	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5194041
D2741	Replacement Blade	1 pcs (1 ea)	250-Packaging 1-1 - Pick Kit - B4B	5194041
D3493-1	Washer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5199816
D3532-1	Spacer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5217338
MS21083C8	Nut	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5218508
NAS1149D0863J	Washer	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B	5186298

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-Skidtubes - 1	D2600-3-BENT-LH	1	7	0
	D2744	1	44	0
160-Skidtubes - 2 - B4B	D2739	1	7	0
	D2743	8	208	0
	D3490-1	4	133	0
	D3490-3	4	66	0
	ALS4-1032-225	38	827	0
230-Handfinish - 4-1-Assembly-B4B	AN3C5A	34	765	0
	AN3C6A	4	141	0
	AN6C44A	4	114	0
	AN8C35A	1	28	0
	D2745	8	48	0
	D3488-3	1	11	0
	D3492-1	8	51	0
	D3492-3	8	7	0
	D3537-1	3	51	0
	D3631-1	8	360	0
	D3791-1	1	3	0
	D3793-1	1	6	0
	D3793-3	1	0	0
	D3793-5	1	3	0
	MS21043-6	4	91	0
	MS21083C8	1	85	0
	NAS1149C0332R	38	3,724	0
	NAS1149C0832R	1	292	0
	NAS1515H3L	4	173	0
	NAS1611-010	8	203	0
	NAS1611-013	8	200	0
250-Packaging 1-1 - Pick Kit - B4B	AN8C21A	2	117	0
	D2741	1	52	0
	D3493-1	2	53	0
	D3532-1	2	39	0
	MS21083C8	2	85	0
	NAS1149D0863J	2	371	0
Part Specifications				
Specifications could not be found.				

Plex 7/30/19 1:51 PM Dart.lajeunesse.marie



D2750-044 350 SKIDTUBE ASSEMBLY, RH


D2750-043 350 SKIDTUBE ASSEMBLY, LH

RELEASED
2018 OCT 19







APPROVED

DESIGN		MM	DART AEROSPACE USA, INC.	
DRAWN	ZF		EUGENE, OR	
CHECKED	MM	DRAWING NO.	D2750	
MFG. APPR.	DD	REV. H	SHEET 3 OF 16	
APPROVED	NO	TITLE	350 SKIDTUBE ASSEMBLY	
DATE	18.03.05	SCALE	NTS	
COPYRIGHT © 1988 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE NOT TO BE RELEASED FOR USE WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.				

1 2 3 4 5 6 7 8




D2750-3 LH SKIDTUBE



RELEASED
2009 OCT 19

DART AEROSPACE USA, INC. EUGENE, OR			
DESIGN	MM	MM	REV. H
DRAWN	ZF	MW	DRAWING NO. D2750
CHECKED		DD	SHEET 7 OF 18
MFG. APPR.			TITLE
DE APPR.			350 SKIDTUBE ASSEMBLY
DATE	18.03.05	DS	SCALE NTS

COPYRIGHT © 1987 BY DART AEROSPACE USA, INC.
ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.



RELEASED
2018 OCT 19

DESIGN	MM	DART AEROSPACE USA, INC.
DRAWN	ZF	EUGENE, OR
CHECKED	MW	DRAWING NO. D2750
MFG. APPR.	DD	REV. H SHEET 8 OF 16
APPROVED	NO	TITLE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY
DATE	18.03.05	SCALE NTS

APPROVED

PROPERTY OF DART AEROSPACE USA, INC.
THIS DRAWING IS THE PROPERTY OF DART AEROSPACE USA, INC.
IT IS TO BE USED FOR ANY PURPOSE OR FOR ANY REASON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.

Entered: _____ Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____		DISPOSITION		DEPARTMENT/PROCESS							
Part No. _____		Rework ☐ Scrap ☐ Use-as-is ☐		Skid-tube ☐ Machining ☐ Large Fab ☐		Cross tube ☐ Small Fab ☐ Finishing ☐		Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐		Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐	
Date :	Sequence #:	QTY Affected :		MRB (QSI042)							
Description Work Order Deviation				Disposition							
				Completed By							
				Lead hand / Supervisor							
				QC / QA Coordinator							
Root Cause				FAULT CATEGORY							
Operator ☐				Pressure/Forced ☐		Contamination ☐		Power Loss/Surge ☐		Positioned Wrong ☐	
Manufacturing Process ☐				Bending ☐		Misaligned/off center ☐		Folio/Program ☐		Outside Tolerance ☐	
Equip/Tooling ☐				Crushing ☐		BOM/Route ☐		Grain Direction ☐		Drawing ☐	
Handling/Preservation ☐				Cracks ☐		Broken/Damage/Defect ☐		Weld ☐		Finish ☐	
Material ☐				Crimp/Kink/Ripple/Wave/Twist ☐		Incomplete/Unclear Instructions ☐		Wrong Stock Pulled ☐		Part Lost/Missing ☐	
Product Improvement ☐				Marks/Chatter ☐		Drill Holes ☐		Out of Sequence ☐		Misread ☐	
Process Improvement ☐				Mislabeled ☐		Fit/Function ☐		Off-set/Set-up ☐			
Human Factors ☐				Other/Details:							

5.0 PARTS LIST

D350-636-011/-012/-013/-014 SKIDTUBES AT CHG 008 AND SUBSEQUENT
D350-636-021/-022 SKIDTUBES AT CHG 001 AND SUBSEQUENT

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
	X							D350-636-011	SKIDTUBE INSTALLATION, LH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
		X						D350-636-012	SKIDTUBE INSTALLATION, RH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
			X					D350-636-013	SKIDTUBE INSTALLATION, LH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
				X				D350-636-014	SKIDTUBE INSTALLATION, RH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
					X			D350-636-021	SKIDTUBE INSTALLATION, LH, STD
						X		D350-636-022	SKIDTUBE INSTALLATION, RH, STD
							X	D350-636-049	WEARSHOE KIT
1	1							D2750-041	SKIDTUBE ASSEMBLY, LH
1		1						D2750-042	SKIDTUBE ASSEMBLY, RH
1			1					D2750-043	SKIDTUBE ASSEMBLY, LH
1				1				D2750-044	SKIDTUBE ASSEMBLY, RH
1					1			D2750-051	SKIDTUBE ASSEMBLY, LH
1						1		D2750-052	SKIDTUBE ASSEMBLY, RH
*1	1							D2750-1	SKIDTUBE WELDMENT, LH
*1		1						D2750-2	SKIDTUBE WELDMENT, RH
*1			1					D2750-3	SKIDTUBE WELDMENT, LH
*1				1				D2750-4	SKIDTUBE WELDMENT, RH
1					1			D2750-5	SKIDTUBE WELDMENT, LH
1						1		D2750-6	SKIDTUBE WELDMENT, RH
**2	8	8	8	8	8	8		350A41-1027-20	SCREW
**3	8	8	8	8	8	8		23119AG120LE	WASHER
**4	8	8	8	8	8	8		22541N120	NUT
*5	1	1	1	1	1	1		AN8C35A	BOLT
*6A	1	1	1	1	1	1		NAS1149C0832R	WASHER
*7	1	1	1	1	1	1		MS21083C8	NUT
8	1		1		1			D3488-3	BLADE FITTING, LH
8		1		1		1		D3488-4	BLADE FITTING, RH
9	1	1	1	1	1	1		D2741	BLADE
10	2	2	2	2	2	2		AN6C21A	BOLT
11	2	2	2	2	2	2		NAS1149D0863J	WASHER
11C							8	D3672-1	WASHER
12	2	2	2	2	2	2		MS21083C8	NUT
*14	4	4	4	4	4	4		AN6C44A	BOLT
*15	8	8	8	8	8	8		D2745	BUSHING
*16	4	4	4	4	4	4		MS21043-6	NUT
*17	8	8	8	8	8	8		D3631-1	WASHER
*18	4	4	4	4	4	4		ALS4-1032-225	INSERT
*19	4	4	4	4	4	4		AN3C6A	BOLT
*20A	4	4	4	4	4	4		NAS1149C0332R	WASHER
*20B	4	4	4	4	4	4		NAS1515H3L	WASHER
*22	3	3	3	3	3	3	3	D3537-1	WEARPAD

• COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: K

Date: 18.04.04

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
*22A	1	1	1	1	1	1	1	D3791-1	WEARPLATE
*23A	1	1	1	1	1	1	1	D3793-1	WEARSHOE (REPLACES D3535-13)
*24A	1	1	1	1	1	1	1	D3793-5	WEARSHOE (REPLACES D3535-25)
*25A	1	1	1	1	1	1	1	D3793-3	WEARSHOE (REPLACES D3535-35)
*26A	34	34	34	34	34	34	34	AN3C5A	BOLT
*27	34	34	34	34	34	34	34	NAS1149C0332R	WASHER
*28	34	34	34	34	34	34	34	ALS4-1032-225	INSERT
*30	8	8	8	8				D3492-041	PLUG ASSEMBLY
*31	8	8						D3492-043	PLUG ASSEMBLY
*32			8	8				D3492-045	PLUG ASSEMBLY
***43	2	2	2	2				D3493-1	WASHER
50	2	2						D3532-1	SPACER
****97					1	1		AN3C34A	BOLT
****98					2	2		NAS1149C0363R	WASHER
****99					1	1		MS21043-3	NUT
100A							4	AN526C1032R10	SCREW
100B							4	AN526C1032R18	SCREW

* PART OF D2750-041/-042, D2750-043/-044 OR D2750-051/-052 ASSEMBLY

** TO BE SUPPLIED BY CUSTOMER

*** ONLY INSTALLED IF INSTALLING A DART FLOAT SYSTEM

**** PART OF D2750-051 OR D2750-052 ASSEMBLY

Change Record

PAGE 1 OF 1

Part Number: D350-636-011/-011GB/-012/-012GB

Description: SKIDTUBE STD LH/RH, FLOAT COMPATIBLE

[illegible]